

Conveyor Chain With Sk Attachments




Features & Advantages



- High quality chain material
- 100% Pre-stretching and excellent wear resistance
- Roller made of high-quality medium carbon steel
- Bush made of high-quality steel with case hardened
- Chain plate made of high-quality medium carbon steel
- Pin made of high-quality alloy steel
- Beveling
- Chain twisting adjusted by specialized equipment, ensuring the same angle of twisting in two sides

Technical Specifications



Email | sales@hdsusa.us

Tel | +1 (832) 808-5116 Tel | +1 (832) 808-5164



HDS Chain No.		35-SK1	40-SK1	50-SK1	60-SK1	16A-SK1	20A-SK1	24A-SK1	28A-SK1	32A-SK1	06B-SK1	08B-SK1	10B-SK1
Pitch	P/mm	9.525	12.7	15.875	19.05	25.4	31.75	38.1	44.45	50.8	9.525	12.7	15.875
Attachment Dimensions	G/mm	7.9	9.5	12.7	15.9	19.1	25.4	28.6	34.9	38.1	8	9.5	14.3
Attachment Dimensions	C/mm	9.5	12.7	15.9	18.3	24.6	31.8	36.5	44.5	50.8	9.5	13.35	16.5
Attachment Dimensions	F/mm	14.55	19.05	25.25	29.33	34.7	43.3	51.6	62	69.85	13.5	18.9	22.95
Attachment Dimensions	d4/mm	3.4	3.4	5.5	5.5	6.8	9.2	9.8	11.4	13.1	3.5	4.5	5.3

HDS Chain No.		12B-SK1	16B-SK1	20B-SK1	24B-SK1	40-SK OF 1	60-SK OF 1	16A-SK OF 1	08B-SK OY 1	C08B-SK OY 1	C08B-SK OY 2
Pitch	P/mm	19.05	25.4	31.75	38.1	12.7	19.05	25.4	12.7	12.7	12.7
Attachment Dimensions	G/mm	16	19.1	25	30	6	15.9	19.1	11.3	11.3	11.3
Attachment Dimensions	C/mm	21.45	23.15	30.5	36	/	/	/	/	/	/
Attachment Dimensions	F/mm	28.6	34	41.9	52.9	20.6	25.7	20	22	20	17.3
Attachment Dimensions	d4/mm	6.4	6.4	8.4	10.5V	/	/	/	/	/	/