

## Conveyor Chain With Wk Attachments




### Features & Advantages



- High quality chain material
- 100% Pre-stretching and excellent wear resistance
- Roller made of high-quality medium carbon steel
- Bush made of high-quality steel with case hardened
- Chain plate made of high-quality medium carbon steel
- Pin made of high-quality alloy steel
- Imported environment-friendly super wear-resistant grease, whose adhesive thickness over 0.2mm
- Chain twisting adjusted by specialized equipment, ensuring the same angle of twisting in two sides

### Technical Specifications



Email | [sales@hdsusa.us](mailto:sales@hdsusa.us)

Tel | +1 (832) 808-5116 Tel | +1 (832) 808-5164



<b>HDS Chain No.</b>		<b>35- WK1/2</b>	<b>40- WK1/2</b>	<b>50- WK1/2</b>	<b>60- WK1/2</b>	<b>16A- WK1/2</b>	<b>20A- WK1/2</b>	<b>24A- WK1/2</b>	<b>28A- WK1/2</b>	<b>32A- WK1/2</b>	<b>08B- WK1/2</b>	<b>10B- WK1/2</b>	<b>12B- WK1/2</b>
<b>Pitch</b>	<b>P/mm</b>	9.525	12.7	15.875	19.05	25.4	31.75	38.1	44.45	50.8	12.7	15.875	19.05
<b>Attachment Dimensions</b>	<b>G/mm</b>	17.32	23	28	34.65	45.9	57.65	69.3	80.45	92	24	29.58	34.05
<b>Attachment Dimensions</b>	<b>L/mm</b>	9.525	12.7	15.875	19.05	25.4	31.75	37.1	44.45	50.8	12.7	15.875	19.5
<b>Attachment Dimensions</b>	<b>F/mm</b>	19	25.4	31.75	38.1	50.8	63.5	76.2	88.9	101.6	25.4	31.8	38.1
<b>Attachment Dimensions</b>	<b>W/mm</b>	28.6	35.6	46.8	56.4	73.2	89.8	108.8	123	142.8	36.4	44.6	52.4
<b>Attachment Dimensions</b>	<b>h4/mm</b>	6.35	7.9	10.3	11.9	15.9	19.8	23	28.6	31.75	8.9	10.31	13.46
<b>Attachment Dimensions</b>	<b>d4/mm</b>	2.8	3.4	5.5	5.5	6.8	9.2	9.8	11.4	13.1	4.3	5.3	6.4

<b>HDS Chain No.</b>		<b>16B- WK1/2</b>	<b>20B- WK1/2</b>	<b>24B- WK1/2</b>	<b>50- WK1N1</b>	<b>60- WK2F1</b>	<b>60- WA1Y1</b>	<b>28A- WK2Y2</b>	<b>C140- WK2Y1</b>	<b>08B- WK2Y1</b>	<b>08B- WK2F1</b>	<b>08B- WK1F2</b>	<b>16BH- WK1F1</b>
<b>Pitch</b>	<b>P/mm</b>	25.4	31.75	38.1	15.875	19.05	19.05	44.45	44.45	12.7	12.7	12.7	25.4
<b>Attachment Dimensions</b>	<b>G/mm</b>	46.4	58.1	71.4	28.8	34.65	34.65	80.45	80.4	24	23.3	23.3	46.4
<b>Attachment Dimensions</b>	<b>L/mm</b>	25.4	31.75	38.1	/	14.3	/	42	35	12.7	12.7	/	/
<b>Attachment Dimensions</b>	<b>F/mm</b>	50.8	63	76.2	31.75	38.1	38.1	70	89	25.08	41.5	25.35	70
<b>Attachment Dimensions</b>	<b>W/mm</b>	72.6	100.5	108.4	46.8	56.4	56.4	97.5	126.2	35.98	50.32	35.08	90
<b>Attachment Dimensions</b>	<b>h4/mm</b>	15.88	19.8	26.7	10.3	11.9	11.9	25	28.6	9.2	8.9	8.9	15.9
<b>Attachment Dimensions</b>	<b>d4/mm</b>	6.4	9	10.5	6.2	6.6	6.6	11.1	11	4.3	4.5	4.3	11

<b>HDS Chain No.</b>		<b>16B-WA2F1</b>	<b>20B-WK2F1</b>	<b>C20B-WK2F2</b>	<b>20B-WK2F3</b>	<b>24B-WK1Y1</b>
<b>Pitch</b>	<b>P/mm</b>	25.4	31.75	31.75	31.75	38.1
<b>Attachment Dimensions</b>	<b>G/mm</b>	46.3	58.05	58	58.05	71.4
<b>Attachment Dimensions</b>	<b>L/mm</b>	25.4	31.75	31.75	31.75	/
<b>Attachment Dimensions</b>	<b>F/mm</b>	45.8	68	70	63.5	110
<b>Attachment Dimensions</b>	<b>W/mm</b>	72.6	88	88	100	136
<b>Attachment Dimensions</b>	<b>h4/mm</b>	15.9	23.5	19.8	19.8	25
<b>Attachment Dimensions</b>	<b>d4/mm</b>	6.6	9.6	8.4	9	13.5